
Aseptico

MILITARY FIELD

DENTAL EQUIPMENT

MADE IN THE USA



ECAT #SPE2DH-24-D-0008 | **FSS** #36F79719D0179



Available on ECAT
GSA: 36F79719D0179
Cage Code: 66250
DUNS: 016853348
TIN #: 91-1086588
UEI #: ULGWC6SB7SL8

Contact Us
Phone: 425-408-9985
Fax: 360-668-8722
Gov@Aseptico.com
Aseptico.com/Military



Welcome to the Aseptico Military Dental Catalog

Since 1975, Aseptico has grown from a small dental sundries producer into a leading U.S. manufacturer of portable dental systems and electronic dental devices. With over 50 years of serving the dental profession, Aseptico is committed to outstanding innovation, quality, and service.

It is a privilege to create equipment for dental professionals worldwide, whose dedication to patient care continually inspires us.

We are especially proud to support those who serve by providing durable, high-performance equipment specifically engineered for military use. Almost all Aseptico products are made and serviced in the United States, ensuring quality, reliability, and rapid support. We invite you to compare Aseptico products to any other for quality, performance, innovative features, reliability, and value.

Our headquarters in Woodinville, Washington is home to over 100 skilled employees, including a dedicated in-house engineering team. We design and manufacture our equipment to meet or exceed U.S. and international standards, including FDA Good Manufacturing Practices, ISO 60601-1, and ISO 13485:2003. With these certifications, our products are deployed in over 125 countries worldwide.

For more than 25 years, it has been our privilege to serve the U.S. Armed Forces, and we are grateful for your continued trust. We hope this Military Catalog serves as a valuable resource for you and your team.

The appearance of U.S. Department of Defense (DoD) visual information does not imply or constitute DoD endorsement.

DELIVERY SYSTEMS

AEU-14CFH - Expedition Field Portable Dental System	2-3
AEU-525CF - Transport III	4-5
AMC-25CF - Mobile Dental Cart	6-7

IMAGING

ARU-07KP2 - NOMAD® Pro 2	8-9
Aprons & Other Accessories	9

CHAIRS & STOOLS

ADC-09CF - Hydraulic Portable Stool Kit	10
ADC-08CF - Portable Dental Stool Kit	10
ADC-02CF - Hydraulic Portable Dental Chair	11
ADC-01CS - Lightweight Field Dental Chair	11

SINKS

ADU-42CF - Portable Scrub Sink	12
ADU-40CF - Portable Field Sink	12

LIGHTS

ALU-40LED-CF - Portable LED Exam Light	13

MOTORS & HANDPIECES

AEU-25 - Endo DTC® Rotary Motor	14
AEU-5000 - Electrical Operative Motor	14
All Dental Handpieces	15

For a Quote, Call **425-408-9985** or Email **Gov@Aseptico.com**

ECAT #SPE2DH-24-D-0008 | FSS #36F79719D0179

Expedition Field Portable Dental System

Battery-Powered and Solar Charged

AEU-14CFH | **NSN: 6520-01-702-4138**

In response to the Military's demand for an ultra lightweight, battery powered emergency dental unit, Aseptico has developed the AEU-14CF Expedition Field Portable Dental System.



For a Quote, Call **425-408-9985** or Email **Gov@Aseptico.com**

ECAT #SPE2DH-24-D-0008 | FSS #36F79719D0179

Weighing under 30 pounds, the Expedition Field Portable Dental System is light and compact enough to be carried in a backpack and deployed into the field of operation along with the medical support team.

- Ultra-light deployment: <30 lb (<13.6 kg) unit packs into a rucksack and travels with forward medical teams.
- Complete handpiece set includes 1:5 fiber-optic contra-angle with water increaser, 1:1 straight handpiece with irrigation, and 8:1 push-button contra-angle.
- Multi-power ready, operates from AC mains, 12/24 V vehicle battery, or two swappable battery packs; solar panel included. One pack supports ≈20 patient procedures.
- All-electric drive: 30,000 rpm brushless micromotor with LED/irrigation delivers up to 150,000 rpm through the supplied 1 : 5 fiber-optic high-speed handpiece; 1 : 1 straight handpiece also included.
- Integrated micro-compressor feeds irrigation and 3-way air/water syringe; no external air source required.
- Rugged, field-serviceable design keeps critical dental capability on mission in austere environments.





AHP-64MKI
1:1 Straight Handpiece (With Irrigation)

AHP-72MK-FO
1:5 Contra With FO & Water Increaser

AHP-88MNP
8:1 Push Button



AEU-14CFH Includes	
Expedition Field Portable Dental System	AHP-64MKI Handpiece
Mil-Spec transport case	AHP-72MK-FO Handpiece
24V Solar Panel	AHP-88MNP Handpiece
Tactical Backpack	Other Accessories

Watch a Video Demonstration

Or Visit Aseptico.com/Military-Videos

Product Manual

Or Visit Aseptico.com/Military-Manuals

Specifications

Case Dimensions:..... 17.5" x 11.6" x 6.9" (44.5 x 29.5 x 17.5 cm)
Weight: ..... 27 lbs. (12.25 kg)
Volume: ..... 0.81 Cu.Ft. (0.23 m3)
Noise Level:..... 64dBa @ 1 meter
Air Reservoir: ..... 25.8 cu. in. (423 cc / 0.423 L)

Power Source: ..... AC dual voltage
..... 120V/230V at 50Hz/60Hz
..... 24V solar panel
..... 12V/24V vehicle battery
Water Reservoir: ..... 16 fl. oz. (0.473 L)



Transport III
Dental Operating System

AEU-525CF **(NSN: 6520-01-655-0689)**
AEU-525CFH **(NSN: N/A)**
AEU-525CFH-14 **(NSN: 6520-01-695-4413)**

Built for mobility, engineered for performance. The Transport III DOS is our most advanced compact military dental system, delivering full-featured operatory capabilities in a rugged, Mil-Spec transport case.

Designed for rapid deployment, it sets up in minutes by a single operator and runs on a standard outlet or generator. Featuring a powerful 40,000 RPM electric micromotor with fiber optic lighting, integrated high/low vacuum, piezo electric scaler, and a quiet internal air compressor and vacuum pump, the Transport III offers precision, power, and portability in the harshest environments.

Its intelligent fluid management system provides dual-level alerts and auto shutoff, while externally mounted waste containers ensure clean, efficient disposal.

From the battlefield to humanitarian missions, the Transport III DOS delivers reliable, high-performance dental care wherever it's needed.

Mil-Spec Transport Case

AEU-525CF (NSN: 6520-01-655-0689) Includes
Transport III
Accessory case (fits in transport case)
Mil-Spec transport case

AEU-525CFH (NSN: N/A) Includes	
Transport III	AHP-72MK-FO (Qty 3)
Mil-Spec transport case	AHP-63MK (Qty 3)
Accessory case	AHP-64MKI (Qty 3)

AEU-525CFH-14 (NSN: 6520-01-695-4413) Includes	
Transport III	AHP-63MK (Qty 2)
Mil-Spec transport case	AHP-64MKI (Qty 2)
Accessory case	AHP-77W (Qty 2)
6 Additional scaler tips	AHP-79W-FO (Qty 2)
AHP-72MK-FO (Qty 4)	AHP-88MNP (Qty 2)



AHP-63MK 1:1 Contra Latch

AHP-64MKI 1:1 Straight Handpiece (With Irrigation)

AHP-72MK-FO 1:5 Contra With FO & Water Increaser

AHP-77W 1:2 W&H Oral Surgery Increaser


AHP-79W-FO 45-Degree W&H With FO Oral Surgery

AHP-88MNP 8:1 Push Button

Video Library
Or Visit Aseptico.com/Military-Videos

Product Manual
Or Visit Aseptico.com/Military-Manuals





Powerful Micromotor
Versatile, quiet, and powerful 40,000 RPM autoclavable brushless micromotor.

Ultrasonic scaler with LED illumination
The integrated scaler allows the operator to switch between hygiene and operative procedures with ease.

Three-way air-water syringe

Powerful vacuum system
strong, reliable suction increases efficiency and patient comfort.

Impact Resistant
Durable, wheeled case with comfortable handles

Powerful Electric Motor
5k to 200k rpm range is ideal for prophy and restorative.

Quiet operation
a better experience for the patient and operator.

1-Liter Water Reservoir
Ample water supply

Large Waste Container
Large waste management system with auto-shutoff, offering the operator peace of mind.

Fully Self-Contained
Internal air compressor, vacuum pump, water source and electrical power.

Dual voltage
Plug in anywhere in the world with dual voltage 100-240V AC

Weighted and Omnidirectional Foot Pedal
Stays in place and can be activated from any angle.

Specifications

Dimensions
- Unit closed . . . . . 23″ × 10.5″ × 17.75″ (58.4 × 26.7 × 45.1 cm)
- Unit set up . . . . . 17.8″ × 18.6″ × 34.3″ (45.2 × 47.2 × 87.1 cm)
- Shipping case . . . . . 29.5″ × 25″ × 24.75″ (74.9 × 63.5 × 62.9 cm)


Cubic volume
- Unit . . . . . 2.5 ft^3 (0.071 m^3)
- Shipping case . . . . . 10.6 ft^3 (0.300 m^3)

Weight
- Unit . . . . . 59 lbs (26.8 kg)
- Unit & shipping case . . . . . 112 lbs (50.8 kg)

Power rating . . . . . 800 W
Noise level . . . . . 62± dBA @ 3′4″ (1 meter)
Operating pressure . . . . . 45–50 PSI (3.1–3.4 bar)
Constant airflow pressure . . . . . 40 PSI, 0.4 SCFM (2.8 bar, 11.3 L/min)
High volume vacuum . . . . . 4.2 SCFM @ 4.0″ Hg (118.9 L/min @ 13.5 kPa)
With low volume vacuum . . . . . 3.2 SCFM @ 4.0″ Hg (90.6 L/min @ 13.5 kPa)
Low volume vacuum . . . . . 1.3 SCFM @ 1.5″ Hg (36.8 L/min @ 5.1 kPa)
Air reserve capacity . . . . . 750 cc (0.75 L)

For a Quote, Call **425-408-9985** or Email **Gov@Aseptico.com**

ECAT #SPE2DH-24-D-0008 | FSS #36F79719D0179



Mobile Dental Cart

Self-Contained Mobile Operatory

AMC-25CF

A superior solution for providing general dental care in a fully self-contained mobile dental cart optimized for military clinics and field deployments; certified to US, Canadian, and European safety standards.

Integrated compressor with automatic high- and low-speed air handpiece controls featuring fiber optics and built-in electric operative system.

High-volume and low-volume suction systems with overflow protection, solids trap, amalgam separator, and electric waste removal pump.

Ergonomic design includes pivoting control arms, adjustable tray height, large workspace, heavy-duty wheels, sound insulation, and dual-voltage operation.

Includes scaler (piezo ultrasonic), curing light, handpiece flush system, auxiliary air/water quick connects, external duplex hospital-grade outlets, and rugged Mil-Spec transport case.



Mil-Spec Transport Case

Included Transport Case Features:
Airtight and watertight construction with loading ramp and skids. Automatic pressure relief valve, recessed wing latches, and comfort grip lifting handles. ID plate for easy identification.

AMC-25CF-USAF
(NSN: 6520-01-674-3961) Available
Customized to the requirements of the US Air Force. Contact 425-408-9985 to learn more.

AMC-25 Available on open market
Don't need the entire AMC-25CF configuration? Contact us to learn about open market options.



AHP-64MKI
1:1 Straight Handpiece (With Irrigation)

AHP-63MK
1:1 Contra Latch

AHP-72MK-FO
1:5 Contra With FO & Water Increaser

AHP-88MNP
Motor Air 4-Hole E-Type 20k RPM

AHP-77W
1:1 Contra Latch

AHP-82MK-QD & AHP-82MK
Kavo-style Coupling FO STD Head High Speed

AHP-50MK
Motor Air 4-Hole E-Type 20k RPM

Auxiliary Arm with Accessory Tray
360 degree maneuverabiltity to be able to operate from any angle.

Industry Leading VALO Curing Light
Easy connect/disconnet with its own individual holder.

Lighted Piezoelectric Scaler
The integrated scaler allows the operator to switch between hygiene and operative procedures with ease.

Integrated Electric Motor
Read more about functionality on the AEU-5000 (pg. 14).



Multiple Fiber Optic Connections

Completely Mobile for Easy Transport
Easy to wheel into trucks or vans, down hallways, in elevators, ER's and operating rooms.



Watch Product Videos

View Product Manuals

Two 1L Water Reservoir & Bottle
Large capacity for miniminal water recycling between patients.

Hospital-Grade Outlets
For any additional accessories needed.

Amalgam Separator
Filters out particulate matter from waste water.

Impact Resistant
Durable, wheeled case with comfortable handles.

Wet/Dry Foot Pedal
Stays in place and can be activated from any angle.

Specifications

Dimensions:
- Unit .....26.78" × 22.50" × 35.14" ..... (68.0 × 57.2 × 89.3 cm)
- Case .....35.0" × 34.0" × 52.0" .....(88.9 × 86.4 × 132.1 cm)

Cubic volume:
- Unit ..... 12.3 ft³ (0.348 m³)
- Case ..... 35.8 ft³ (1.014 m³)

Weight:
- Unit ..... 167 lbs (75.7 kg)
- Case ..... 148 lbs (67.1 kg)

Power source:
- ..... AC Dual voltage manual-switching ..... 115V/230V @ 50Hz/60Hz

Power rating:
- 115V: 1,620W @ 60 Hz or 1,944W @ 50 Hz
- 230V: 1,725W @ 60 Hz or 1,437.5W @ 50 Hz

Operating pressure ..... 80 PSI (5.5 bar)

Circuit breakers:
- .....20 Amps for 120V, 10 Amps for 230V ..... 1 Amps Isolate Auxiliary Outlets

High volume vacuum:
- 0" Hg .....6.6 SCFM (186.9 L/min)
- 0" Hg w/ LV open..5.9 SCFM (167.1 L/min)
- 4" Hg ..... (169.9 L/min @ 13.5 kPa)
- 4" Hg w/ LV open . 4.8 SCFM (135.9 L/min @ 13.5 kPa)

Low volume vacuum:
- -1.5" Hg . 2.3 SCFM (65.1 L/min @ 5.1 kPa)
- -1.5" Hg w/ HV open 1.5 SCFM (42.5 L/min @ 5.1 kPa)

Simultaneous vacuum:
- High volume 4" Hg 5.1 SCFM (144.4 L/min @ 13.5 kPa)
- Low volume 1.5" Hg .1.4 SCFM (39.6 L/min @ 5.1 kPa)

Vacuum/compressor pump:
- 115 PSI, 2 HP oilless compressor (7.9 bar) ....1.6 SCFM @ 100 PSI (45.3 L/min @ 6.9 bar)

Air storage capacity..... 2.4 gal (9 L) nominal

Air storage pressure ..... 110 PSI (7.6 bar)

Water reservoir capacity ..... 67.8 Fl. oz. (2.0 L)

Water flow.....5.07 Fl. oz./min(0.15 L/min)

Waste tank capacity .....1.08 gal (4.08 L)

Noise level ..... 59 dBA @ 3'4" (1 meter)

Environmental conditions:

Operating temperature: 50° to 130°F(10° to 54°C)

Transport/storage temperature: -40° to 160°F (-40° to 71°C)

Relative humidity: 10% to 95% non-condensing

Altitude:..... 0 to 10,000 feet (0 to 3,048 m)

Unit duty cycle ..... Continuous

For a Quote, Call **425-408-9985** or Email **Gov@Aseptico.com**

ECAT #SPE2DH-24-D-0008 | FSS #36F79719D0179



NOMAD® Pro 2

Portable Dental X-Ray Imaging Kit

ARU-07KP2LC-CSDRVG **(NSN: 6545-01-690-6022)**

Capture clear radiographic images with ease – anytime, anywhere. Its lightweight, ergonomic, handheld design makes it ideal for mobile dental units, or practices with multiple operatories.

Kit includes everything needed for field dental radiographs:
Nomad X-Ray, 2 Batteries, 1 charger, 1 Size 1 Intraoral Sensor, 1 Size 2 Intraoral Sensor, Disposable Sensor Sheaths, Patient Protection Apron, Ruggedized Laptop, Imaging Software, Large Case

Complete Dental Imaging Solution model (ARU-07KP2LC-CSDRVG) shown. For Details, Please Contact 425-408-9985

Offering cordless, handheld operation, the NOMAD Pro 2 portable x-ray system is powered by rechargeable battery packs and comes contained in an easily transportable, rugged case with pull-out handle and wheels. Long-lasting batteries deliver exceptional performance, allowing you to complete hundreds of exposures on a single charge. Intuitive user interface and quick setup save valuable time, enabling you to focus on what matters most—providing patient care. Best-in-class features include advanced shielding to ensure operator and patient safety while delivering precise imaging results.

- Lightweight, battery-powered handheld X-ray unit with internal and external shielding for operator safety during use.
- Ideal for portable and forensic dentistry; compatible with both digital sensors and traditional film.
- Simple touch controls; cordless operation enables point-of-care imaging.
- Includes X-ray unit, backscatter shield, battery charger, two batteries, and training CD.
- Charger Power Supply Input: 100-240V~50-60Hz





Large Case Specifications (ARU-07KP2LC)

Weight	29 lbs (13.2 kg)
Dimensions	31.3" × 20.4" × 15.5" (79.5 × 51.8 × 39.4 cm)

Small Case Specifications (ARU-07KP2)

Weight	11 lbs (5.0 kg)
Dimensions	21.7" × 14.1" × 8.9" (55.1 × 35.8 × 22.6 cm)

Product Manual

Or Visit Aseptico.com/Military-Manuals

ARU-07KP2 Includes (NSN: 6525-01-677-4553)	
Nomad X-Ray	Battery Charger

ARU-07KP2LC Includes (NSN: N/A)	
Nomad X-Ray	Battery Charger

ARU-07KP2LC-CSDRVG Includes (NSN 6545-01-690-6022)	
Nomad X-Ray	Disposable sensor sheaths
Batteries (Qty 2)	Laptop
Battery Charger	Imaging Software
Large Case	Patient protection apron
Sensors (Qty 2)	

Protective Gear Available	
ARU-100008-XCMG	X-Ray Protection Collar XPF Medium Grey
ARU-100011-XAMG	X-Ray Protection Apron XPF Medium Grey
ARU-100028-XSMG	X-Ray Protection Skirt XPF Medium Grey
ARU-100031-XVMG	X-Ray Protection Vest XPF Medium Grey
ARU-100042-XDMG	X-Ray Protection Drop Apron XPF Medium Grey
ARU-100099-XPMG	X-Ray Protection Cap XPF Medium Grey
Small And Large Sizes Also Available	

Specifications

Battery ..... Li-Ion 21.6V, 1.7Ah
Anode voltage ..... 60 kVp
Anode current ..... 2.5 mA
Exposure time range ..... 0.02 - 0.99 s
Focal spot ..... 0.4 mm
Weight of X-ray unit only ..... 6 lbs (2.7kg)
Dimensions of X-Ray unit only ..... W 16cm x L 43.5cm x H 25cm
..... (W 6.3" x L 17.1" x H 9.8")

For a Quote, Call **425-408-9985** or Email **Gov@Aseptico.com**

ECAT #SPE2DH-24-D-0008 | FSS #36F79719D0179

NEW *Sileather Fabric*

Discover Sileather™ — eco-friendly and sustainable silicone fabric designed for durability and easy care. Naturally stain-resistant, UV-stable, and tough against wear, Sileather keeps our stools and chairs reliably clean and comfortable in demanding settings.





AseptiStool

Hydraulic Portable Stool Kit

ADC-09CF | **NSN: 6520-01-652-9171**

- Interchangeable stools for doctor and assistant; padded seat and backrest ensure comfort during extended procedures.
- Hydraulic height adjustment and sturdy castored legs for mobility in field conditions; 300 lb weight capacity per stool.
- High-strength DOM steel frame built to withstand military use.
- Kit includes two stools, two soft carrying cases, and one rugged Mil-Spec transport case (29" × 25" × 25" / 73.7 × 63.5 × 63.5 cm, 81 lbs / 36.7 kg total).

AseptiStool

Portable Dental Stool Kit

ADC-08CF | **NSN: 6520-01-456-5406**

- Lightweight, folding stools with padded seat/backrest and adjustable height for doctor or assistant use.
- Durable DOM steel frame with castered legs for mobility in field conditions.
- Two stools with soft cases pack into one compact Mil-Spec case (25.5" × 24" × 19" / 64.8 × 61.0 × 48.3 cm, 60 lbs / 27.2 kg total).
- Designed for efficient transport and quick setup during deployment.

For a Quote, Call **425-408-9985** or Email **Gov@Aseptico.com**

ECAT #SPE2DH-24-D-0008 | FSS #36F79719D0179

Hydraulic Portable Dental Chair

ADC-02CF | **NSN: 6520-01-652-8993**



- Only portable dental chair with full hands-free hydraulic adjustability (height and backrest angle) comparable to standard dental chairs; all adjustments performed easily with patient seated.
- Quick set-up and compact folding design for efficient transport and rapid deployment; includes Mil-Spec transport case.
- Durable, high-strength tubular steel frame, corrosion-resistant stainless hardware, and heavy-duty Sileather upholstery designed for rigorous military field conditions.
- 300 lb (136 kg) weight capacity with integrated wheels for easy repositioning, no external power required.

Specifications

Dimensions:
- Chair folded33" × 22" × 18" (83.8 × 55.9 × 45.7 cm)
- Case37.6" x 25" x 24" (95.5 × 63.5 × 61.0 cm)

Cubic volume:
- Chair folded ..... 7.6 ft³ (0.215 m³)
- Shipping case ..... 13.1 ft³ (0.371 m³)

Weight:
- Chair..... 65 lbs (29.5 kg)
- Shipping case ..... 55 lbs (24.9 kg)

Seat height:
- Adjustable ..11" to 33" (27.9 to 83.8 cm)

Backrest/recline:
- Adjustable ..... -5° to 85°

AseptiChair

Lightweight Field Dental Chair

ADC-01CS | **NSN: 6520-01-446-3783**



- Lightweight yet rugged with high-strength DOM steel frame and corrosion-resistant stainless hardware.
- Adjustable seat height, 11" to 22" (27.9 to 55.9 cm), for versatile use as a standard sit-up chair in field settings.
- Quick and easy setup with high-quality upholstery and adjustable pillow headrest for patient comfort.
- Includes both hard and soft transport cases. Mil-Spec case: 39" × 30" × 16.5" (99.1 × 76.2 × 41.9 cm), 80 lbs (36.3 kg) total.



Portable Scrub Sink

ADU-42CF | **NSN: 6530-01-572-6775**

- Large stainless steel basin with hands-free foot control and integrated electric water heater.
- Includes side tray, strainer basket for instruments, foot-pump soap dispenser, and paper towel holder.
- Braced legs for added stability; uses standard military water containers for supply and waste.
- Water and waste lines engineered to prevent cross-contamination and ease of maintenance.
- Compatible with standard Military Water Cans (MWC) for potable water and graywater, not included.
- Dual-voltage, auto-switching (120/220V, 50/60 Hz); made in the USA.

Dimensions:
Basin..... 21.3" × 15.4" × 7.4" (54.1 × 39.1 × 18.8 cm)
Side tray ..... 6.5" × 10" (16.5 × 25.4 cm)
Sink .....25.25" × 22.375" × 12.625" (64.1 × 56.8 × 32.1 cm)
Case .....33.5" × 28" × 17.5" (85.1 × 71.1 × 44.5 cm)
Cubic volume ..... 9.5 ft³ (0.269 m³)

Weight:
Sink ..... 48.5 lbs (22.0 kg)
Sink in case .....104 lbs (47.2 kg)
Deck height.....32.25" (81.9 cm)
Tank volume ..... 1.5 gal (5.7 L)
Water flow.....2.2 L/min (0.58 gal/min)



Portable Field Sink

ADU-40CF | **NSN: 6520-01-456-5380**

- Hands-free operation via foot controls with integrated electric water heater for field hygiene.
- Stainless steel side tray mounts on either side; unit is easy to maintain and field-ready.
- Compatible with standard Military Water Cans (MWC) for potable water and graywater, not included. Water and waste lines engineered to prevent cross-contamination and ease of maintenance.
- Dual-voltage, auto-switching (120/220V, 50/60 Hz); manufactured in the USA.

Dimensions:
Basin.....13.25" × 11" × 5.5" (33.7 × 27.9 × 14.0 cm)
Side tray ..... 6.5" × 10" (16.5 × 25.4 cm)
Sink..... 15.25" × 15.25" × 10.5" (38.7 × 38.7 × 26.7 cm)
Case .....19" × 19" × 15.5" (48.3 × 48.3 × 39.4 cm)
Cubic volume .....3.13 ft³ (0.089 m³)

Weight:
Sink..... 30.5 lbs (13.8 kg)
Sink in case ..... 48.5 lbs (22.0 kg)
Deck height.....35.75" (90.8 cm)
Tank volume .....0.75 gal (2.9 L)
Water Flow.....2.2 L/min (0.58 gal/min)

Optional Accessories		
Leg brace kit	AA-04CF	**NSN: 6520-01-537-4224**
Soap dispenser	AA-04SD	**NSN: 6530-01-537-7355**
Extended spout	AA-04EXS	**NSN: 6520-01-534-7852**



Portable LED Exam Light

ALU-40LED-CF | **NSN: 6520-01-600-8241**

- Lightweight, high-performance LED light with seven adjustable beam diameters and amber filter for composite work.
- No bulb replacements required; features replaceable protective lens cover.
- Tripod stand with height adjustment and flexible gooseneck for precise positioning.
- Operates on universal AC voltage (100–240V) or 12–24V DC for field versatility.
- Includes padded carrying case; made in the USA. Total weight: 12 lbs (5.4 kg). Dimensions: 45" × 7" × 8" (114.3 × 17.8 × 20.3 cm).



Portable Tray Stand

ATC-03CF | **NSN: 6520-01-446-6263**

- Height-adjustable tripod stand, 29" to 57" (73.7 to 144.8 cm), with removable 13" × 9.75" (33.0 × 24.8 cm) stainless steel instrument tray.
- Tray is autoclavable for easy sterilization.
- Folds compactly into included vinyl carrying case.
- Total weight: 9 lbs (4.1 kg).

For a Quote, Call **425-408-9985** or Email **Gov@Aseptico.com**

ECAT #SPE2DH-24-D-0008 | FSS #36F79719D0179

Endo DTC® Rotary Motor
America's Most Popular
AEU-25



The Endo DTC Rotary Endo Motor is America's most popular endo motor because it is a proven reliable performer. Many dentists did their endodontic training on this system and they still prefer it today. There is so much packed into this small footprint at such an affordable price: advanced digital torque control technology with auto-stop-reverse helps prevent file separation, five programmable memory buttons, onboard file library, integrated calibration system, autoclavable 30k rpm brushless micromotor, and upgradeable software. Pair with a AHP-88MNP handpiece to make the perfect rotary endo system.

Available handpiece ratios
1:5, 1:1, 4:1, 8:1, 16:1, 64:1



AHP-88MNP
8:1 Push Button

Electrical Operative Motor
Top-Rated Motor Converts Air to Electric
AEU-5000



Handpiece Shown (AHP-72MK-FO) Not Included

- Converts air-driven high-speed connection into a powerful electric motor using your existing rheostat.
- Delivers high torque and up to 200,000 RPM with a high-speed handpiece.
- Supports restorative procedures with quieter, faster, and safer performance.
- Features intuitive controls and Endo mode with auto-stop-reverse torque function.



AHP-72MK-FO
1:5 Contra With FO & Water Increaser

Dental Handpieces



AHP-101
Low Speed
Doriot



AHP-50MK
Motor Air 4-Hole
E-Type 20k RPM



AHP-63MK
1:1 Contra
Latch



AHP-64MKI
1:1 Straight
Handpiece
(With Irrigation)



AHP-72MK-FO
1:5 Contra With
FO & Water
Increaser



AHP-77W
1:2 W&H Oral
Surgery Increaser



AHP-79W-FO
45-Degree
W&H With/FO
Oral Surgery



AHP-82MK
Kavo-style Coupling
FO STD Head High
Speed



AHP-82MK-QD
KAVO 6-Pin LED FO
Quick Coupler



AHP-85MBFO-CX
20:1 Push Button,
Contra Angle




AHP-88MNP
8:1 Push Button



AHP-96MK
4-Hole PB STD Head
Highspeed




AHP-97MK
5-Hole PB STD Head
With FO Highspeed















The appearance of U.S. Department of Defense (DoD) visual information does not imply or constitute DoD endorsement.


AIR FORCE











Aseptico, Inc.
8333 216th Street SE,
Woodinville, WA 98072



Featured Product

Expedition Field Portable Dental System

AEU-14CFH | **NSN: 6520-01-702-4138**

An ultra lightweight, battery powered emergency dental unit compact enough to be carried in a backpack and deployed into the field of operation along with the medical support team.

For a Quote, Call **425-408-9985** or Email **Gov@Aseptico.com**

ECAT #SPE2DH-24-D-0008

Aseptico®

DENTAL MOTORS ***WE POWER DENTISTRY***
MOBILE and PORTABLE DENTISTRY ***MOVING TO MEET NEED***
DENTAL EQUIPMENT OEM ***EXCELLENCE IN ENGINEERING***
GLOBAL DENTAL CATALOG ***PROVEN PRODUCTS***